



***GEVELOT OF CANADA LIMITED***  
**SASKATOON, SASKATCHEWAN**







## GEVELOT OF CANADA LIMITED

TELEPHONE 382-3151 AREA CODE 306  
P.O. BOX 1593  
SASKATOON, SASKATCHEWAN

### Manufacturers of

- OLYMPIC
- LONG RANGE
- HI-VEL
- MAGNUM
- TARGET LOADS
- GEVARM RIFLES
- CENTRE FIRE
- RIM FIRE



WHATEVER  
YOUR  
GAME,  
USE  
GEVELOT




## THE STORY OF GEVELOT

Gevelot is a name that has been known to stand for quality ammunition and firearms for well over a century. In fact, Gevelot was founded in France in 1820 meaning they will be celebrating their 150th Anniversary in 1970. This all adds up to the fact, that Gevelot is one of the oldest, largest, and best known ammunition manufacturers in Europe.

Gevelot expanded its operation to Canada in 1961, and since that time have continued to grow until they are now established as a definite force in the production of Sporting ammunition for the Canadian market.


Gevelot's quality control system, ballistics testing, patterning, pressure testing, and indeed every aspect of producing a quality shell, are exerted to assure you, the Canadian hunter, a truly fine product. Gevelot have not only established the "Olympic" shotshell as a necessary part of thousands of hunter's equipment, but have made great headway with the world famous line of Gevarm semi-automatic .22 rifles, until it is now probably the fastest selling semi-auto in Canada. Our line of .22 calibre ammunition is being used by greater numbers of plinkers and target shooters every year, and our Gevelot International Awards program is gaining popularity with more and more Boy Scout, 4-H Clubs, Service Clubs and Fish & Game shooting Clubs. Gevelot Centre fire ammunition, is now packed in a sensational new "Black Pack" box with a tough white cartridge caddy tray and this item alone is the talk of the industry.

All in all, Gevelot of Canada is on the upswing, and with the continued support of the multitudes of Canadian hunters, we look forward to years of progress with our great country Canada.





**NEW GREEN PLASTIC**



12 gauge · 2 $\frac{3}{4}$   
max. equiv.  
1 $\frac{1}{2}$  oz. load


***olympic***  
***green***  
***magnum***

**GEVELOT**



YOU'LL NEVER KNOW HOW GOOD THEY ARE UNTIL YOU TRY THEM





# OLYMPIC GREEN MAGNUM



PACK — 25 SHELLS  
PER PACKAGE

CASE — 500 SHELLS  
PER CASE

CASE WEIGHT — 67 LBS.

GAUGE — 12 GAUGE ONLY  
SHOT SIZES BB, 2, 4,  
5, 6.

TUBE — GREEN RIBBED  
PLASTIC

LENGTH —  $2\frac{3}{4}$ " — A FULL  
MAGNUM THAT CAN  
BE USED IN GUNS  
CHAMBERED FOR  
EITHER  $2\frac{3}{4}$ " OR 3"

SHOT —  $1\frac{1}{2}$  OZ. CHILLED  
"EXTRA HARD" SHOT

## GEVELOT OF CANADA

P.O. Box 1593  
SASKATOON, CANADA.  
Warehouses  
Across Canada.

THOUSANDS OF CANADIAN HUNTERS HAVE RAVED ABOUT THE SENSATIONAL "BLACK  
MAGIC" GEVELOT SHOT SHELL. WELL . . . WAIT UNTIL THEY'VE TRIED OUR NEW GREEN  
MAGNUM. THIS IS THE ULTIMATE IN A MAGNUM LOAD SHELL, AND IT STILL PERFORMS LIKE  
"BLACK MAGIC".

YOU'LL NEVER KNOW HOW GOOD THEY ARE UNTIL YOU TRY THEM!



**NEW RED PLASTIC**



12 gauge · 2 $\frac{3}{4}$   
dram equiv. max.  
1 $\frac{1}{4}$  oz. load

***olympic  
long  
range***



FAST PROVING TO BE ONE OF THE MOST POPULAR SHELLS IN CANADA





# OLYMPIC LONG RANGE

PACK — 20 SHELLS  
PER PACKAGE

CASE — 400 SHELLS  
PER CASE

CASE WEIGHT — 50 LBS.

GAUGE — 12 GAUGE

SHOT SIZES BB, 2, 4,  
5, 6, 7½

TUBE — RED RIBBED  
PLASTIC

LENGTH — 2¾"

SHOT — 1¼ OZ. "EXTRA  
HARD SHOT"

**GEVELOT OF CANADA**

P.O. Box 1593  
SASKATOON, CANADA.

Warehouses  
Across Canada.

WITHOUT A DOUBT, ONE OF THE FINEST SHELLS ON THE CANADIAN MARKET. THE OLYMPIC LONG RANGE HAS PROVEN ITSELF IN ALL WEATHER CONDITIONS FROM COAST TO COAST. THE CONSISTENT BALLISTIC QUALITIES OF THIS SHELL, ALONG WITH OUR SMOKELESS POWDER, THAT HARDLY CLOUDS YOUR BARREL, OFFERS THE CANADIAN HUNTER A REAL WINNER.





**NEW RED PLASTIC**



NOW  
AVAILABLE  
IN PLASTIC  
16 AND 20  
GAUGE

***olympic  
long  
range***



FAST PROVING TO BE ONE OF THE MOST POPULAR SHELLS IN CANADA






# OLYMPIC LONG-RANGE 16-20 GAUGE

Pack:	25 Shells per package
Case:	500 Shells per case
Case Weight:	16 Ga. 53 lbs. 20 Ga. 47 lbs.
Shot Sizes:	2 4 5 6 7½
Tube:	Red Ribbed Plastic
Length:	2¾
Shot:	16 Ga. 1⅞ Extra Hard 20 Ga. 1 oz. Extra Hard
Dram Equiv.	16 Ga. 3¼ 20 Ga. 2¾

**GEVELOT OF CANADA**  
P.O. Box 1593  
SASKATOON, CANADA.  
Warehouses  
Across Canada.

The 16 and 20 Gauge Olympic Long Range shot shells were introduced during the 1968 season in a tough new plastic tube. As with the big member of the family, the 12 Gauge, they met with instant popularity with hunters across Canada. Gevelot has built all the necessary features into the 16 and 20 Gauge that is so evident in the 12 Gauge. Olympic shells pack all the power necessary for shooting in all parts of Canada and you can be assured of peak performance with the whole Olympic line.







12 gauge · 2 $\frac{3}{4}$   
3 $\frac{1}{2}$  dram equiv.  
1 $\frac{1}{8}$  oz. load


***olympic***  
PLASTIC  
***hi-vel***

**GEVELOT**

**WHITE**







# OLYMPIC PLASTIC HI-VEL



PACK — 25 SHELLS  
PER PACKAGE

CASE — 500 SHELLS  
PER CASE

CASE WEIGHT — 55 LBS.

GAUGE — 12 GAUGE ONLY

SHOT SIZES BB, 2, 4, 5,  
6, 7½

TUBE — WHITE RIBBED  
PLASTIC

LENGTH — 2¾"

SHOT — 1⅛ OZ.

"EXTRA HARD"

GEVELOT OF CANADA

P.O. Box 1593

SASKATOON, CANADA.

Warehouses

Across Canada.

ANOTHER ONE OF THE NEW MEMBERS OF THE GEVELOT FAMILY. NOT ONLY HAVE WE PUT OUR NEW HI-VEL SHELL IN A TOUGH DURABLE WHITE PLASTIC TUBE, BUT WE ARE PACKAGING THEM IN A BRAND NEW FOIL BOX OF 25 SHELLS. THE HI-VEL IS FOR THE HUNTER THAT PREFERS LIGHTER RECOIL, BUT STILL EXPECTS HIGH PERFORMANCE. A REAL FINE SHELL FOR BOTH UPLAND GAME AND WATERFOWL.

SHOOT WITH CONFIDENCE WITH THE NEW  
**OLYMPIC HI-VEL**





## "SHOOT THE BLACK PACK"

GEVELOT  
CENTRE FIRE  
CARTRIDGES

Gevelot of Canada Ltd. are proud to announce that their complete line of centre fire calibres (except .22 Hornet and .222 Rem) are now available in the sensational new "Black Pack" box with the tough white cartridge caddy liner. These trays are packed with the powerful, hard hitting Gevelot cartridges featuring the exclusive "controlled expansion Bullet" that can assure you of greater smashing power and superior accuracy.

We offer you 18 different popular calibres in 36 grain weights, and you can have the proper weight and type of bullet for your particular kind of game and area.

Make your next box of centre fire cartridges "Gevelot", you'll be glad you did.

- Maximum Power
- Made in Canada
- Exclusive "Controlled Expansion Bullet"



WHATEVER  
YOUR  
GAME,  
USE  
GEVELOT







# **THINK BLACK** **THINK** **GEVELOT**

## **HI-POWER CENTRE-FIRE CARTRIDGES !**

Gevelot Centre Fire Cartridges are manufactured to exacting standards to meet the need of the Canadian Hunter, both in the field and on the range.

Calibre	Bullet Type	Bullet Wt Grains	Approx. Wt/Case	Packing Case	Packing Box
22 HORNET	PSP	45	12 lbs.	600	20
222 REM.	PSP	50	14 lbs.	600	20
222 REM. MAG.	PSP	50	18 lbs.	600	20
243 WINCHESTER	PSP	87	20 lbs.	400	20
	SPE	100	20 lbs.	400	20
6 MM (244 REM.)	PSP	87	20 lbs.	400	20
	SPE	100	20 lbs.	400	20
250 SAVAGE	SPE	87	18 lbs.	400	20
	SPE	117	19 lbs.	400	20
6.5 x 55 SWEDISH	HP	90	24 lbs.	400	20
	SPE	156	24 lbs.	400	20
270 WINCHESTER	SPE	150	24 lbs.	400	20
	SPE	150	24 lbs.	400	20
7 x 57 MM MAUSER	SPE	150	24 lbs.	400	20
	SPE	175	26 lbs.	400	20
30/30 WINCHESTER	SPE-FP	150	21 lbs.	400	20
30/30 WINCHESTER	SPE-FP	170	21 lbs.	400	20
300 SAVAGE	SPE	150	22 lbs.	400	20
	SPE	180	23 lbs.	400	20
308 WINCHESTER	PSP	150	23 lbs.	400	20
	SPE	150	23 lbs.	400	20
	SPE	180	24 lbs.	400	20
30/06 SPRINGFIELD	PSP	150	25 lbs.	400	20
	SPE	150	25 lbs.	400	20
	SPE	180	26 lbs.	400	20
	RP	220	29 lbs.	400	20
303 BRITISH	PSP	150	27 lbs.	400	20
	SPE	150	27 lbs.	400	20
	SPE	180	28 lbs.	400	20
8 x 57 J.S. MAUSER	SPE	196	32 lbs.	400	20
7MM REM. MAGNUM	SPE	154	26 lbs.	400	20
7MM REM. MAGNUM	SPE	175	28 lbs.	400	20
264 WIN. MAGNUM	PSP	100	25 lbs.	400	20
264 WIN. MAGNUM	PSP	140	27 lbs.	400	20
338 WIN. MAGNUM	SPE-RP	200	29 lbs.	400	20
338 WIN. MAGNUM	SPE-RP	250	32 lbs.	400	20

### **BULLET DESCRIPTION**





PSP Pointed Soft Point

SPE Soft Point Expanding

H.P. Hollow Point

SPE RP Soft Point Expanding Round Pt

SPE FP Soft Point Expanding Flat Pt



## **GEVELOT CENTRE FIRE CARTRIDGES**

- Non Corrosive Primer.
- Finest quality, close tolerance cartridge cases.
- Expanding, Soft Nose Bullets designed to assure maximum results.
- Scientifically measured power load assures balanced ballistics, high velocity, maximum impact and range.

The exclusive Gevelot Expansion Bullet has proven to exert more impact, insured more sure kills than any bullet ever presented to the Canadian hunter.



**WHATEVER  
YOUR  
GAME,  
USE  
GEVELOT**





## MODEL E1

**HIGH PRECISION  
NEW SEMI-AUTOMATIC  
.22 L. R. CALIBRE RIFLE**

Built on a new principle

- Without FIRING PIN
- Without EXTRACTOR
- No MISFIRES

## DESCRIPTION

### ● BARREL

"19½" barrel in high tensile steel to insure maximum durability. Specially shaped muzzle to give the greatest accuracy.

### ● STOCK

Robust, made of first quality French walnut, carefully varnished. Pistol grip, reinforced butt plate.

### ● SAFETY

To be in safety, pull knurled bolt handle fully to the rear and push in.

### ● STEP REARSIGHT

Adjustable step rearsight. Post foresight.

### ● REVERSIBLE SPRING GUIDE

Equipped to use high velocity 22 L.R. Ammunition.


**8-SHOT  
HANDY ACCURATE  
HAND TOOLED**

**Made of the finest  
Grain French Walnut**

Available with  
20 Shot Clip



**WHATEVER  
YOUR  
GAME,  
USE  
GEVELOT**



U.S. Patent 5998





## SELF LOADING RIFLES

- SAFE
- SIMPLE
- PRACTICAL
- ACCURATE

### MODEL A-3 CALIBRE 22 LONG RIFLE

8 shot rimfire automatic loading carbine without firing pin or extractor. One piece receiver construction with cartridge ejection window. Fitted with a Mauser tangent sliding rear sight adjustable from 25 to 100 yards and a tunnel foresight for competition shooting. Special space provided for 4 interchangeable foresight reticules. Complete with standard 8 shot rifle clip.

### MODEL A-7 CALIBRE 22 LONG RIFLE

The finest of a fine line offering the ultimate in precision and performance. Naturally it's "Target Grade". 8 shot rimfire automatic loading carbine. Fully closed breech with firing pin. Extractor and safety on the left hand side of action frame. Tapered barrel 21 inches long of special high tensile strength steel. Tangent, large surfaced, sliding-rear sight graduated from 25 to 100 yards. Tunnel foresight with 5 interchangeable elements. French walnut stock with checkered pistol grip and fore-end. Easily dismantled and assembled. Complete with 8 shot long rifle clip.


All Gevarm Rifles are grooved for scope mounting.



WHATEVER  
YOUR  
GAME,  
USE  
GEVELOT



MODEL A-3



MODEL A-7





## SELF LOADING RIFLES

**MODEL A-6 22 CALIBRE** 8 shot rimfire long rifle — annular percussion type — with movable breech adjusted to standard or high velocity cartridges. No firing pin — no extractor — fitted with calibrated rear sight and front sight. Easily dismantled and assembled. Barrel constructed of high resistant steel for maximum strength — Muzzle specially shaped to assure high precision firing. Complete with standard 8 shot long rifle clip.

### AMMUNITION

Any good make of cal. .22 cartridges will function in .22 GEVARM rifles.


We however particularly recommend cal. .22 Long Rifle GEVELOT cartridges.

Note:- When firing High Velocity or very powerful cartridges it is advisable to increase the inertia of the breech bolt by reversing the position of the spring guide, i.e. by placing its rimmed-base end, in front, inside the rear-end cavity of the breech block.

● Note: Model A3 and A6 rifles Serial #200,000 and over will now take a 20 shot clip magazine.



WHATEVER  
YOUR  
GAME,  
USE  
GEVELOT



MODEL A-6





## **.22 "RIMFIRE" RIFLE CARTRIDGES**

**"TARGET TESTED  
FIELD PROVEN"**

Gevelot presents to both the expert and the amateur sportsman a complete range of cal. .22 rim fire cartridges which can satisfy every requirement in the use of single, repeating or automatic rifles, and ideally suited for precision shooting, either at targets or in the field. They combine to the greatest advantage: precision, velocity, range and penetration, to assure sportsmen of the maximum satisfaction.

### **.22 SHORT**

Smokeless — non-corrosive primer, special lubrication. Ideal for medium range target and "plinking".

Bullet weight — 30 grs.

Packed 50 in box — 5,000 in a case

### **.22 LONG**

Smokeless — non-corrosive primer, special lubricated bullet. Ideal for medium long range target and "plinking".

Bullet weight — 30 grs.

Packed 50 in box — 5,000 in a case

### **.22 LONG RIFLE**

A special long range, high velocity cartridge, designed especially for maximum penetration using the finest in smokeless powder, lubrication and having a non-corrosive primer.

Bullet weight — 41 grs.

Packed 50 in box — 5,000 in a case

### **.22 LONG RIFLE H.P.**

This cartridge is especially designed for maximum SHOCK POWER, without sacrificing long range and high velocity features. Incorporated as well, is the finest smokeless powder and lubrication and having a non-corrosive primer.

Bullet weight — 36 grs


Packed 50 in box — 5,000 in a case

### **.22 LONG RIFLE SPECIAL MATCH**

Designed for the ultimate in accuracy. A specially selected cartridge for competition shooting, using the finest in materials and workmanship.

Bullet weight — 41 grs.

Packed 50 in box — 5,000 in a case



**WHATEVER  
YOUR  
GAME,  
USE  
GEVELOT**





## GEVARM SHOTGUNS

Gevelot of Canada Limited are proud to introduce the Gevarm Shotgun. These guns are manufactured in France by one of the most renowned gunmakers in Europe, and bear the Gevarm Trademark which in itself is synonymous with quality firearms. We are distributing four models of this gun and also carry complete stock of repair parts to meet any need. Whether you are a novice thinking about starting in on the tremendous sport of hunting, or an experienced nimrod wanting to add a lightning fast pump or semi-automatic to his gun rack, make your next shotgun the dependable, smooth looking, Gevarm Shotgun.

- 3 Year Guarantee
- Beautiful balance
- Stainless Receiver
- French Walnut Stocks



WHATEVER  
YOUR  
GAME,  
USE  
GEVELOT







## GEVARM SHOTGUNS

### MODEL 856 P Repeating Pump

Gauge — 12 only

Barrel — 28" and 30" Chrome lined,  
plain

Choke — Full & Modified

Capacity — 2¾" shells 4 shot (3 in  
Mag & 1 in chamber)

Weight — 6 lbs.

### MODEL 856 VR Repeating Pump

Same as above only with ventilated rib  
barrel

### MODEL 920 P Gas operated Autoloading shotgun

Gauge — 12 only

Barrel — 28" & 30" chrome lined, plain

Choke — Full & Modified

Capacity — 2¾" shells 3 shot

Weight — 6½ lbs.

### MODEL 920 VR Gas operated Autoloading Shotgun

Same as 920 P only with ventilated rib  
barrel



WHATEVER  
YOUR  
GAME,  
USE  
GEVELOT




MODEL 856 P



MODEL 920 VR





**SET YOUR  
SIGHTS ON**



# **RIFLE AND SPOTTING SCOPES**

Quality Arms and Ammunition Since 1820.  
Canadian Factory at Saskatoon, Sask.




# GEVELOT

## RIFLE SCOPES

BOAST THESE NEW  
FEATURES IN 3X - 9 X 38  
ZOOM SCOPE

1. Large objective lens gives extra wide field for following game.
2. Neoprene gas and moisture seals cushion lenses.
3. Air spaced lenses for undistorted field and photographic clarity.
4. Coated optical elements.
5. Reticle always centered.
6. Neoprene seals on adjusting knobs.
7. Anodized scratch and mar resistant finish.
8. Reticles will not enlarge when power is increased.
9. Fingertip control of power selector. Image always in focus.
10. Individual eye focus allows maximum clarity.
11. Screw on duraluminum lens caps provide maximum protection in storage and transportation.
12. Double wall construction assures continued performance if exterior tube damaged.
13. Hard clock spring steel tension arm assures indefinite rifle zero regardless of use.


All scopes available with cross hair or post-cross hair.



## Gevelot Scope Specifications

TYPE	3X - 9X VARIABLE							4X	6X
	3X	4X	5X	6X	7X	8X	9X	4X	6X
Magnification	3X	4X	5X	6X	7X	8X	9X	4X	6X
Objective Aperture	38mm	38mm	38mm	38mm	38mm	38mm	38mm	32mm	32mm
Eyepiece Aperture	32mm	32mm	32mm	32mm	32mm	32mm	32mm	32mm	32mm
Optical Elements	14	14	14	14	14	14	14	9	9
Field view @ 100 yards	41 ft.	32.5 ft.	23.5 ft.	21.5 ft.	18.2 ft.	15.5 ft.	13.8 ft.	30 ft.	20 ft.
Exit Pupil	12.7mm	9.5mm	7.6mm	6.3mm	5.4mm	4.8mm	4.3mm	8mm	5.3mm
Eye Relief	3½ in.	3½ in.	3½ in.	3½ in.	3½ in.	3½ in.	3½ in.	3½ in.	3½ in.
Tube Diameter	1 in.	1 in.	1 in.	1 in.	1 in.	1 in.	1 in.	1 in.	1 in.
Overall Length	12½ in.	12½ in.	12½ in.	12½ in.	12½ in.	12½ in.	12½ in.	11½ in.	12¾ in.
Net Weight Oz.	14.5	14.5	14.5	14.5	14.5	14.5	14.5	9.5	10.5
Internal windage and elevation adj. @ 100 yards	¼ in.	¼ in.	¼ in.	¼ in.	¼ in.	¼ in.	¼ in.	¼ in.	¼ in.
Outside Dia. Obj. Housing	1¾ in.	1¾ in.	1¾ in.	1¾ in.	1¾ in.	1¾ in.	1¾ in.	1½ in.	1½ in.
Outside Dia. of eyepiece housing	1½ in.	1½ in.	1½ in.	1½ in.	1½ in.	1½ in.	1½ in.	1⅜ in.	1⅜ in.
Relative brightness	157	90	58	40	29.5	22.5	18	64	38.5
Crosshair reticle subtends @ 100 yards	1 in.	.75 in.	.60 in.	.50 in.	.43 in.	.375 in.	.33 in.	.84 in.	.62 in.
Finish	Anodized scratch and mar resistant high lustre black								
Reticle	All scopes available with crosshair or post-cross hair.								

BUY GEVELOT



FOR

QUALITY FIRST



# GEVELOT

**4 x 32**  
For the hunter who wants a low priced, multi-purpose, quality scope. Gevelot offers this four power scope which boasts all the construction features of the Zoom Scope.

**6 x 32**

A long range big game and varmint scope where ranges are 200 yards or more. This is a rugged scope designed for the most discriminating hunter.

**3x — 9x38**

This is a precision scope designed for the serious hunter who demands the utmost in quality and durability. It is second to none in its class.

## Gevelot .22 Scopes

Gevelot .22 Scopes are built for rugged dependable use. This .22 Zoom Scope features hand ground coated lenses, micrometer adjustments for elevation and windage. Nitrogen filling sealed in by neoprene "O" rings, fingertip power control, individual eye adjustment, generous eye relief and field of view, and versatile two piece high mount.

This scope has many features normally found only in high priced hunting scopes. These include coated optics, nitrogen filled, constantly centred crosshairs, rugged construction.

### SPECIFICATIONS

Magnification	3x - 7x 20	4X 20
Field @ 100 yds.	32 ft. x 18 ft.	31 ft.
Eye Relief	2.75 in. - .75 in.	2.35 in.
Tube Diam.	.75 in. - .75 in.	.75 in.
Reticle	Cross Hair Only	

### 3X — 7X20 ZOOM SCOPE



### 4 x 20



## GUARANTEE

GEVELOT'S rifle scopes are guaranteed for the life of the scope against defective materials or workmanship. Repair or replacement will be made at no charge when returned to us.





### A. 20 to 50 POWER ZOOM SCOPE

No need to carry extra eye pieces with this scope. A simple twist of the control ring changes magnification to all powers from 20 power to 50 power. Features ultra violet ray filtered lenses, hand ground and polished. Retractable sunshade, seamless duraluminum body, and objective lens cap.

#### SPECIFICATIONS:

Power	20X-50X Zoom
Field at 1000 yards	30 ft. - 80 ft.
Dia. of exit pupil	1.2mm - 3mm
Rel. light efficiency	26.45
Obj. Lens Diameter	60 mm
Ocular Lens Diameter	16.75 mm
Length	14½ in. - 17 in. (with sun-shade out)
Weight with tripod	4 lbs. 1 oz.

### B. 30 POWER SPOTTING SCOPE

This scope is at home on the range or in the field. It is light weight and durable with all the construction features of the zoom scope.

#### SPECIFICATIONS:

Power	30X
Field at 1000 yards	80 ft.
Dia. of exit pupil	2.3 mm
Obj. Lens Diameter	60 mm
Ocular Lens Diameter	7 mm
Length	11½ in.
Weight with tripod	1 lb. 14 oz.

### C. 20 POWER SPOTTING SCOPE

A budget priced scope with all the quality and precision of the higher priced models.

#### SPECIFICATIONS:

Power	20X
Field at 1000 yards	15 ft.
Obj. Lens Diameter	30 mm
Ocular Lens Diameter	8 mm
Overall Length	11½ in.
Weight with tripod	18½ oz.

GEVELOT OF CANADA LIMITED  
P.O. Box 1593  
Saskatoon, Sask.





## **GEVELOT International Canadian Awards**

One of the fastest growing sports in Canada today is Target shooting. For several years now, Gevelot has sponsored the Gevelot International Canadian Awards program. We are most pleased that more and more Rifle, Fish & Game, 4H Clubs, Boy Scouts, and Service Clubs of all descriptions are participating in our program. Our system of awards is for Sporting, Small Bore and Free Rifle and comprises of Crests, Lapel pins and Medallions. We at Gevelot are anxious to help your group compete and full information as to rules and regulations can be obtained by writing to the following address.

### **GEVELOT OF CANADA LIMITED**

P.O. BOX 1593  
SASKATOON, SASKATCHEWAN



WHATEVER  
YOUR  
GAME,  
USE  
GEVELOT






ONE PICTURE IS WORTH  
10,000 WORDS

## DRESS UP YOUR ADS

WITH THESE FREE GEVELOT  
PRODUCT &  
TRADE MARK CUTS


Mats and stereos are available without  
charge for use in dealer advertising.  
These illustrations may also be used  
in mailing pieces, catalogue pages and  
other printed matter.



OLS 2



OLS 1



GAS 2



OLB 2



OLB 1



GAB 2



GAS 1



TRB 2



TRB 1




LRB 2



TM 2



TM 1



E 122

A 322



WHATEVER  
YOUR  
GAME,  
USE  
GEVELOT

### ORDER FORM

**GEVELOT OF CANADA LIMITED**

P.O. Box 1593 — Saskatoon, Sask.

PLEASE SUPPLY:

☐ MAT ☐ STEREO

OF ☐ OLB 2  
☐ OLB 1  
☐ GAB 2  
☐ GAS 1

☐ TRB 2  
☐ TRB 1  
☐ LRB 2

☐ A 322  
☐ E 122  
☐ OLS 2

☐ OLS 1  
☐ TM 2  
☐ TM 1  
☐ GAS 2

NAME

ADDRESS



ASSOCIATED WITH  
GEVELOT, S.A.  
PARIS, FRANCE

FACTORY — SASKATOON

**GÉVELOT**

**GÉVARM**


OF CANADA LTD.  
SASKATOON, SASKATCHEWAN  
ARMS AND AMMUNITION MANUFACTURERS

TELEPHONE:  
OFFICE 306 - 382-3151  
CABLES:  
GEVELOT SASKATOON

## "GEVARM" RIFLE PARTS

### MODEL E 1

Calibre 22 Long Rifle, 8 Shot



- 1 ... **BARREL**
- 2 ... **POST FORESIGHT**
- 3 ... **REARSIGHT COMPLETE**
- 4 ... Rearsight slide elevator.
- 5 ... Rearsight base.
- 6 ... Rearsight.
- 7 ... Rearsight fixing screw.
- 8 ... **RECEIVER FRAME**
- 9 ... Breech block.
- 10 ... Breech block return main spring.
- 11 ... Breech block return main spring guide.
- 12 ... Cocking handle.
- 13 ... Heli coil (lock washer).
- 14 ... **TRIGGER GUARD COMPLETE**
- 15 ... Trigger guard (frame only).
- 16 ... Magazine catch.
- 17 ... Breech block catch.
- 18 ... Breech block catch spring.
- 19 ... Breech block catch retaining pin.
- 20 ... Pins (3) for breech block catch and trigger guard frame.
- 21 ... Sear.
- 22 ... Pins (3) for sear and trigger.
- 23 ... Trigger.
- 24 ... Trigger spring.
- 25 ... Trigger spring plunger.
- 26 ... Two stage trigger sear.
- 27 ... Trigger adjusting screw.
- 28 ... Trigger adjusting lock spring.
- 29 ... Trigger sear pin for n° 24.
- 30 ... Springs (3) for magazine and breech block catch and trigger sear.
- 31 ... **MAGAZINE COMPLETE**
- 32 ... Magazine body
- 33 ... Magazine spring (8 shot).
- 34 ... Magazine platform.
- 35 ... Magazine bottom plate.
- 36 ... **WALNUT STOCK COMPLETE**
- 37 ... Walnut butt stock only.
- 38 ... Butt screw.
- 39 ... Washer for n° 34.
- 40 ... Nut for n° 34.
- 41 ... Pistol grip cap.
- 42 ... Pistol grip cap screw.
- 43 ... Butt plate.
- 44 ... Butt plate screws (2).
- 45 ... **FOREHAND WALNUT**
- 46 ... Forehand only.
- 47 ... Washers (2) for n° 43.
- 48 ... Fixing screws (2) forehand on barrel.
- 49 ... Takedown bolt fixing forehand on action frame.
- 50 ... Knurled dismantling nut.
- 51 ... Star lock washer.



# E 1 RIFLE PARTS & PRICE LIST

EFFECTIVE JANUARY 1970

<u>PART NO.</u>	<u>DESCRIPTION</u>	<u>SUGGESTED LIST PRICE</u>
1	Barrel	16.95
2	Post foresight	1.50
—	Rearsight complete	1.25
3	Rearsight slide elevator	.25
4	Rearsight base	.50
5	Rearsight	.25
6	Rearsight fixing screw	.20
7	Receiver frame	6.00
8	Breech block	3.00
9	Breech block return main spring	.25
10	Breech block return main spring guide	.50
11	Cocking handle	.50
12	Heli coil (Lock washer)	.15
13	Trigger guard (Frame only)	2.00
14	Magazine catch	.50
15	Breech block catch	.50
16	Breech block catch spring	.20
17	Breech block catch retaining pin	.20
18	Pins (3) for breech block catch and trigger guard frame	.20
19	Sear	1.50
20	Pins (3) for sear & trigger	.20
21	Trigger	1.50
22	Trigger spring	.20
23	Trigger spring plunger	.20
24	Two stage trigger sear	.20
25	Trigger adjusting screw	.20
26	Trigger adjusting lock spring	.20
27	Trigger sear pin for No. 24	.20
28	Springs (3) for magazine and breech block catch and trigger sear	.20
—	Magazine complete	6.95
29	Magazine body	2.00
30	Magazine spring (8 shot)	1.00
31	Magazine platform	1.00
32	Magazine bottom plate	1.00
33	Walnut butt stock only	12.95
34	Butt screw	.20
35	Washer for No. 34	.20
36	Nut for No. 34	.20
37	Pistol grip cap	.20
38	Pistol grip cap screw	.20
39	Butt plate	.50
40	Butt plate screws (2)	.50
41	Forehand only	5.00
42	Washers (2) for No. 43	.20
43	Fixing screws (2) forehand on barrel	.20
44	Takedown bolt fixing forehand on action frame	.50
45	Knurled dismantling nut	.20
46	Star lock washer	.20



MODELS A 3 AND A 6

**GEVARM RIFLE PARTS**

Calibre 22 Long Rifle, 8 Shot

**1. BARREL.**

2. Assembly screw.
3. Barrel retaining pin.

**FORESIGHT (complete) with reticules.**

4. Foresight element retainer.
5. Foresight base.
6. Foresight fixing pin.
7. Foresight fixing screw.
8. Reticule (cross).
9. Reticule (half disc).
10. Reticule (bead).
11. Reticule (post).
12. Reticule (peep).

**REARSIGHT (complete).**

13. Rearsight slide ball bearing.
14. Spring for N° 13.
15. Rearsight slide.
16. Rearsight slide fixing screw.
17. Rearsight lateral adjustment slide.
- 17 bis. Rearsight vertical adjustment slide.

18. Screws (two) for lateral adjustment slide.
19. Screws (two) for vertical adjustment slide.
20. Rearsight base.
21. Rearsight elevator.
22. Rearsight elevator spring.
23. Axis pin for N° 21.
24. Rearsight fixing pin.
25. Rearsight fixing screw on barrel.

**26. ACTION FRAME.**

27. Action frame cap.
28. Breech block.
29. Recoil spring.
30. Main spring guide.
31. Knurled bolt knob.
- 31 bis. Reinforcing nut.

**TRIGGER GUARD (complete).**

32. Trigger guard (frame only).
33. Magazine catch.
34. Pin for magazine catch.
35. Magazine catch spring.
36. Sear.


37. Upper rear pin.
38. Lower rear pin.
39. Sear spring.
40. Trigger.
41. Trigger regulating screw.
42. Trigger axis pin.
43. Trigger spring.
44. Trigger assembly fixing screw.
45. Lock nut (Trigger action adjusting).

**MAGAZINE (complete).**

46. Magazine case.
47. Magazine spring.
48. Magazine platform.
49. Magazine bottom plate.

**WALNUT STOCK (complete).**

50. Walnut stock (only).
51. Knurled dismantling nut.
52. Split ring for N° 51.
53. Bush for N° 51.
54. Foresight element box, in grip.
55. Foresight element cover.





## MODELS A3 AND A6 RIFLE PARTS AND PRICES

EFFECTIVE JANUARY 1970

<u>PART NO.</u>	<u>DESCRIPTION</u>	<u>SUGGESTED LIST PRICE</u>
1, 2, 3, & 26	Barrel assembly	30.00
2	Assembly screw	.50
4	Element retainer	.50
5	Foresight bse	2.50
6	Foresight fixing pin	.15
7	Foresight fixing screw	.50
8	Reticule cross	.15
9	Reticule half disc	.15
10	Reticule bead	.15
11	Reticule post	.15
12	Reticule ring	.15
13	Rearsight ball	.15
14	Rearsight ball spring	.15
15	Rearsight slide	1.00
16	Rearsight fixing screw	1.50
17	Rearsight lateral adjustment slide	1.50
17 bis.	Rearsight vertical adjustment slide	.50
18	Screws (2) for lateral adjustment slide	.15
19	Screws (2) for vertical adjustment slide	.15
20	Rearsight base	1.50
21	Rearsight elevator	1.50
22	Rearsight elevator spring	.15
23	Rearsight axis pin	.15
24	Rearsight fixing pin	.15
25	Rearsight fixing screw	.15
27	Action frame cap	1.50
28	Breech block	3.00
29	Recoil spring	.75
30	Recoil spring guide	.75
31	Bolt knob	.50
31 bis.	Reinforcing nut	.15
32	Trigger frame	5.00
33	Magazine catch	1.25
34	Magazine catch pin	.15
35	Magazine catch spring	.15
36	Sear	1.50
37 & 38	Rear pins	.15
39	Sear spring	.15
40	Trigger	1.50
41	Trigger regulating screw	.15
43	Trigger spring	.15
44	Trigger assembly screw	.25
45	Trigger bar	.50
45A	Trigger bar spring	.15
45B	Trigger regulating screw spring	.25
45C	Trigger bar pin	.15
—	Magazine complete	6.95
50	Stock	25.00
51	Dismantling nut	.50
52	Dismantling split ring	.15
53	Dismantling bushing	.50
54	Foresight element box	.50
55	Foresight cover	.14



ASSOCIATED WITH  
GEVELOT, S.A.  
PARIS, FRANCE

FACTORY — SASKATOON

**GÉVELOT**


**GÉVARM**

TELEPHONE:  
OFFICE 306 - 382-3151  
CABLES:  
GEVELOT SASKATOON

OF CANADA LTD.  
SASKATOON, SASKATCHEWAN  
ARMS AND AMMUNITION MANUFACTURERS

## MODEL A7 GEVARM RIFLE PARTS AND PRICE LIST

EFFECTIVE JANUARY 1970



**GÉVARM**  
MODÈLE A7

PART NO.	DESCRIPTION	SUGGESTED LIST PRICE
GROUP No. 1		
701	Walnut Butt stock only	25.00
702	Butt Plate	1.00
703	Butt Plate Screw	.25
704	Breech Block Catch Retaining Pin	.25
705	Foresight Element Cover	.25
706	Foresight Element Box	.35
707	Barrel	16.95
708	Action Frame	4.95
709	Action Frame Cap	1.00
GROUP No. 2		
710	Assembly Screw	.25
711	Bushing for No. 713	.50
712	Split Ring for No. 713	.15
713	Knurled Dismantling Nut	.50



GROUP No. 3	3-700	Foresight Complete C/W Reticules	3.50
	714	Foresight Fixing Screw	.50
	715	Foresight Fixing Pin	.15
	716	Foresight Base	1.00
	717	Foresight Element Retainer	1.00
	718	Post Reticule	.25
	719	Cross Reticule	.25
	720	Peep Reticule	.25
	721	Bead Reticule	.25
	722	Half Disc Reticule	.25
GROUP No. 4		Magazine Complete for A7	4.95
	723	Case	2.00
	724	Platform	1.00
	725	Spring	1.00
	726	Bottom Plate	.50
GROUP No. 5	5-700	Rearsight Complete	7.95
	727	Rearsight Base	.50
	728	Rearsight Elevator	.50
	729	Rearsight Lateral Adj. Slide	.25
	730	Rearsight Vertical Adj. Slide	.25
	731	Screw for Vertical Adj. Slide (2)	.25
	732	Rearsight Slide	.25
	733	Rearsight Slide Fixing Screw	.25
	734	Rearsight Slide Ball Bearing	.25
	735	Spring for No. 734	.25
	736	Rearsight Fixing Pin	.15
	737	Rearsight Fixing Screw on Barrel	.15
	738	Axis Pin for No. 727	.15
	739	Screws for Lateral Adj. Slide (2)	.15
	740	Rearsight Elevator Spring	.25
GROUP No. 6	741	Safety Lock	.25
	742	Safety Lock Spring Plate	.25
	743	Safety Lock Screw	.25
GROUP No. 7	744	Extractor	.40
	745	Extractor Pin	.25
	746	Extractor Spring	.25
	747	Cocking Handle	.50
GROUP No. 8	748	Breech Block	3.00
	749	Recoil Spring	.25
	750	Firing Pin	.50
	751	Recoil Hammer	.50
	752	Spring Guide	.50
	753	Extractor Spring	.25
	754	Counterweight	.50
GROUP No. 9	9-700	Trigger Guard Complete	8.95
	755	Trigger Guard Frame	3.00
	756	Magazine Catch Spring	.25
	757	Magazine Catch	.25
	758	Pin for Magazine Catch	.15
	759	Spur Nut	.15
	760	Trigger Assembly Fixing Screw	.25
	761	Upper Rear Pin	.15
	762	Lower Rear Pin	.15
	763	Sear	1.50
	764	Sear Spring	.25
	765	Crank Arm	.25
	766	Crank Arm Spring	.25
	767	Crank Arm Pin	.25
	768	Trigger Ball Bearing	.15
	769	Bit Pin	.15
	770	Trigger Stabilize Pin	.15
	771	Trigger	1.50
	772	Bit spring	.25
	773	Bit	.25
	774	Bit Adj. Lock Spring	.15
	775	Bit Fixing Screw	.15



# GEVELOT

## A FEW RULES OF SAFETY



Shoot with Confidence with  
Olympic Shot shells

# GEVARM



WHATEVER  
YOUR  
GAME,  
USE  
GEVELOT

- Always handle a gun as if it were loaded.
- Always carry your gun so that you are in complete control of the direction of the muzzle.
- Carry only empty guns taken down, or with action open, into camp, house, or boat.
- Be doubly sure of your target — never shoot at a sound — or brush movement.
- Always be sure that barrel and action are clear of obstruction particularly after a fall, or if gun has been dropped.
- Never point a firearm at anything you don't want to shoot.
- Carry your gun with the safety on — keep your finger away from trigger.
- Never leave a gun unattended unless you unload it first. Be sure it cannot fall.
- Unload gun before climbing a fence or obstacle, it only takes a few seconds, and could save a life.
- Never mix gunpowder and alcohol.





# CANADIAN SALES AGENTS

For your information we list the names and addresses of the Sales Agents representing our Gevelot products across Canada. All of these well known reliable firms are eager to serve you, and complete information can be obtained from them.

## ATLANTIC PROVINCES

A. G. Brown and Son Limited  
3500 Kempt Road  
HALIFAX, Nova Scotia

## LAKEHEAD

Tees and Persse Limited  
P.O. Box 385  
Postal Station F  
Thunder Bay, Ontario

## SASKATCHEWAN

Tees and Persse Limited  
331 First Avenue North  
SASKATOON, Saskatchewan  
Tees and Persse Limited  
1455 Rose Street  
REGINA, Saskatchewan

## BRITISH COLUMBIA

Tees and Persse Limited  
1080 Hamilton Street  
VANCOUVER 3, British Columbia

Office and Factory of Gevelot of Canada are located at Saskatoon, Sask.  
GEVELOT OF CANADA LIMITED

P.O. Box 1593 — SASKATOON, Saskatchewan — Phone 382-3151 — Area Code 306

## QUEBEC AND ONTARIO

B. & G. Marketing Services of Canada Ltd.  
P.O. Box 82  
ORILLIA, ONTARIO

## MANITOBA

Tees and Persse Limited  
315 William Avenue  
WINNIPEG 2, Manitoba

## ALBERTA

Tees and Persse Limited  
325 - 10th Avenue S.E.  
CALGARY 21, Alberta

Tees and Persse Limited  
10262 - 107th Street  
EDMONTON, Alberta

